Product Name: Urofill Activator Product identifier: 102233 Revision Date: 12-14-2015

Replaces:



1. Identification

Product Name: Urofill Activator

Product identifier: 102233

Other means of identification

Chemical Manufacturer / ITW Evercoat

Importer / Distributor: a division of Illinois Tool Works Inc.

6600 Cornell Road Cincinnati, OH 45242

513-489-7600

Emergency telephone number: CHEMTREC: 1-800-424-9300

CANUTEC: 1-613-996-6666

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:



GHS Classification: Skin Sensitisation Category 1A

Reproductive Toxicity Category 1B Skin Corrosion/Irritation Category 2

Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure Category 2

Hazardous to the aquatic environment - Acute Category 2

Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 3

Hazardous to the aquatic environment - Chronic Category 3

GHS Signal Word: Danger

GHS Hazard Statements: Causes skin irritation.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

May damage fertility or the unborn child.

May cause damage to organs through prolonged or repeated exposure.

Toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

GHS Precautionary Statements:

Safety Precautions: Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Product Name: Urofill Activator Product identifier: 102233 Revision Date: 12-14-2015

First Aid Measures:

Replaces:

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required. IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable

for breathing.

IF exposed or concerned: Get medical advice/attention. Call a POISON CENTER or doctor/physician if you feel unwell.

Get medical advice/attention if you feel unwell.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Wash contaminated clothing before reuse.

Storage: Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Disposal: Dispose of contents/container in accordance with

local/regional/national/international regulation for hazardous wastes.

Hazards not otherwise

classified:

No data available

3. Composition/information on ingredients

Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient	
Toluene	108-88-3	15 - 40	
Methoxy 2-propyl Acetate	108-65-6	10 - 30	
n-Butyl acetate	123-86-4	7 - 15	
Xylene	1330-20-7	5 - 10	
Hexamethylene diisocyanate	822-06-0	0.1 - 1	
Ethyl Benzene	100-41-4	0.1 - 1	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Product Name: Urofill Activator Product identifier: 102233 Revision Date: 12-14-2015

Replaces:

4. First-aid measures

Skin Contact:

Inhalation:

Eye Contact: Immediately flush eyes with plenty of water for at least 20 minutes

retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician. Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.

Thoroughly wash or discard clothing and shoes before reuse. Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get

medical attention immediately.

Ingestion: Do not induce vomiting and seek medical attention immediately.

Drink two glasses of water or milk to dilute. Provide medical care provider with this MSDS. Induce vomiting as a last measure. Induced vomiting may lead to aspiration of the material into the lungs potentially causing chemical pneumonitis that may be fatal.

Immediate medical attention and special treatment needed,:

No additional first aid information available

5. Fire-fighting measures

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical

extinguishing agents. Water may be ineffective but water spray can be used extinguish a fire if swept across the base of the flames. Water can absorb heat and keep exposed material from being

damaged by fire.

Unsuitable extinguishing media: No data available

Fire and/or Explosion Hazards: Vapors may be ignited by heat, sparks, flames or other sources of

ignition at or above the low flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source of ignition

and flash back.

Hazardous Combustion

Products:

Carbon dioxide, Carbon monoxide, Hydrogen cyanide, Nitrogen

containing gases

Special protective equipment and precautions for fire-

fighters:

Do not enter fire area without proper protection including selfcontained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the

potential of hazardous vapors and decomposition products. Flammable component(s) of this material may be lighter than water and burn while floating on the surface. Use water spray/fog for cooling. Flammable component(s) of this material may be lighter

than water and burn while floating on the surface.

Product Name: Urofill Activator Product identifier: 102233 Revision Date: 12-14-2015

Replaces:

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section VIII of this MSDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill. Evaporation of volatile substances can lead to the displacement of air creating an environment that can cause asphyxiation.

Methods and material for containment and cleaning up:

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section VIII at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation. Shut off ignition sources; including electrical equipment and flames. Do not allow smoking in the area. Avoid runoff into storm sewers and ditches that lead to waterways.

7. Handling and storage

Precautions for safe handling: Harmful or irritating material. Avoid contacting and avoid breathing

the material. Use only in a well ventilated area. Use spark-proof tools and explosion-proof equipment Follow all protective equipment recommendations provided in Section VIII. As with all chemicals, good industrial hygiene practices should be followed

when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing

Remove contaminated clothing and wash before reuse

Conditions for safe storage: Store in a cool dry ventilated location. Isolate from incompatible

materials and conditions. Keep container(s) closed. Keep away from sources of ignition Store in a tightly closed container Store in a

cool dry place

Materials to Avoid/Chemical

Incompatibility::

Strong oxidizing agents Strong alkalies Strong acids Acids Amines

Water Alcohols

Product Name: Urofill Activator Product identifier: 102233 **Revision Date: 12-14-2015**

Replaces:

8. Exposure controls/personal protection

Limits:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
Toluene	100 ppm	100 ppm	No data available
n-Butyl acetate	150 ppm	150 ppm	200 ppm STEL; 950 mg/m3 STEL
Xylene	100 ppm	100 ppm	150 ppm
Hexamethylene diisocyanate	No data available	0.005 ppm	No data available
Ethyl Benzene	100 ppm	100 ppm	No data available

Appropriate engineering

Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid

overexposure. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Ventilation is required to maintain operator exposure below published exposure limits. Use process enclosures, local exhaust ventilation, or other

engineering controls to control airborne levels below

recommended exposure limits

Wear chemically resistant safety glasses with side shields when **Eye Protection:**

handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station

available. Wear goggles and a Face shield

Wear protective gloves. Inspect gloves for chemical break-through

and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield

Respiratory protection will be required when handling this product. Use respirators only if ventilation cannot be used to eliminate

symptoms or reduce the exposure to below acceptable levels. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's

standard for respiratory protection (Z88.2-1992). A written respiratory protection program, including provisions for medical

certification, training, fit testing, exposure assessments,

maintenance, inspection, cleaning, and convenient, sanitary storage must be implemented. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator.

Page 5 of 9

n-butyr acetate
Xylene
Hexamethylene diisocyanat
Ethyl Benzene

controls.:

Skin Protection:

Respiratory Protection:

Product Name: Urofill Activator Product identifier: 102233 Revision Date: 12-14-2015

Replaces:

Wear a NIOSH approved respirator if any exposure is possible. NIOSH approved air purifying respirator with organic vapor cartridge and HEPA filter. Air purifying respirators should not be

used in oxygen deficient or IDLH atmospheres

Other Protective Equipment: Wear goggles and a Face shield Where contact is likely, wear

chemical resistant gloves, a chemical suit, rubber boots, and

chemical safety goggles plus a face shield

General Hygiene Conditions: Use spark-proof tools and explosion-proof equipment Follow all

protective equipment recommendations provided in Section VIII. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Remove contaminated clothing and wash before reuse

9. Physical and chemical properties

Appearance (physical state):

Color:

No data available

No data available

Odor:

No data available

No data available

No data available

PH:

No data available

No data available

No data available

No data available

Initial Boiling Point and Boiling Range (°C): 111 Flash Point (°C): 140

Evaporation Rate:No data available **Flammability (solid, gas):**No data available

Upper Flammable/Explosive Limit: 7.0 %

7.6 % 7

Lower Flammable/Explosive Limit:

Vapor Pressure: 21 MMHG@20C/68F 6.72 MMHG@70F

Vapor Density:

Relative Density:

Solubility(ies):

Partition coefficient: n-octanol/water:

No data available

Low; 10-49%

No data available

Auto-ignition Temperature (°C): 420 °C

Decomposition Temperature::Viscosity:
No data available
No data available

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Product Name: Urofill Activator Product identifier: 102233 Revision Date: 12-14-2015

Replaces:

Conditions to avoid: Sparks, open flame, other ignition sources, and elevated

temperatures. Contamination High temperatures.

Incompatible materials: Strong oxidizing agents Strong alkalies Strong acids Acids Amines

Water Alcohols

Hazardous decomposition

products:

Carbon dioxide Carbon monoxide Hydrogen cyanide Nitrogen

containing gases

11. Toxicological information

Likely routes of exposure (inhalation, ingestion, skin and eye contact):

Skin contact, Eye contact, Inhalation, Absorption, Skin contact, Eye contact,

Ingestion

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation: Can cause severe respiratory irritation, dizziness, weakness, fatigue, nausea,

headache and possible unconsciousness. Harmful! Can cause severe irritation or burns and lung inflammation. Central nervous system effects such as dizziness, weakness, fatigue, nausea, headache, and unconsciousness are possible. Other possible symptoms include; wheezing and coughing due to pulmonary edema (fluid

build-up in lungs).

Inhalation Toxicity: Harmful! Can cause systemic damage (see "Target Organs)

Skin Contact: Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause

permanent damage.

Skin Absorption: Harmful if absorbed through the skin. May cause severe irritation and systemic

damage.

Eye Contact: Can cause severe irritation. Eye contact may result in corneal injury. Symptoms may

include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. Temporary vision impairment (cloudy or

blurred vision) is possible.

Institution: Irritation: Irritation to mouth, throat, and stomach. Can cause abdominal discomfort, nausea,

vomiting and diarrhea. Aspiration of material into the lungs can cause chemical

pneumonitis which can be fatal.

Ingestion Toxicity: Harmful if swallowed. May cause systemic poisoning.

Long-Term (Chronic) Health Effects:

Carcinogenicity:None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA.

Reproductive and

May damage fertility or the unborn child.

Developmental Toxicity:

Mutagenicity:No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

Inhalation: Upon prolonged and/or repeated exposure, can cause severe respiratory irritation,

dizziness, weakness, fatigue, nausea, headache and possible unconsciousness. Harmful! Can cause systemic damage upon prolonged and/or repeated exposure

(see "Target Organs)

Skin Contact: Upon prolonged or repeated contact, can cause moderate skin irritation, defatting,

Page **7** of **9**

Product Name: Urofill Activator Product identifier: 102233 Revision Date: 12-14-2015

Replaces:

and dermatitis. Not likely to cause permanent damage.

Skin Absorption: Upon prolonged or repeated exposure, harmful if absorbed through the skin. May

cause severe irritation and systemic damage.

Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No data available			

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available):

Toxic to aquatic life. Harmful to aquatic life. Toxic to aquatic life with long lasting effects. Components of this product are hazardous to wildlife and aquatic life. Highly/very toxic to fish and other water

organisms.

Persistence and degradability:

Mobility in soil:

Other adverse effects (such as hazardous to the ozone layer):

No data available No data available No data available

Données sur l'écotoxicité

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available			

13. Disposal considerations

Description of waste residues:

Spent or discarded material is a hazardous waste.

Waste treatment methods (including packaging):

Dispose of by incineration following Federal, State, Local, or

Provincial regulations.

Waste Disposal Code(s):

D001

14. Transport information

UN number: UN1263

UN proper shipping name: PAINT RELATED MATERIAL

Transport hazard class(es): 3
Packing group: ||

Product Name: Urofill Activator Product identifier: 102233 Revision Date: 12-14-2015

Replaces:

The shipper is responsible for following all applicable regulations. The transportation classification provided is based on ITW Evercoat original packaging, which is suitable for domestic ground transport only.

15. Regulatory information

Statut TSCA:

All components in this product are on the TSCA Inventory.

Regulated Components:

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
Toluene	108-88-3	N	N	Υ	Υ
Xylene	1330-20-7	N	N	Υ	N
Hexamethylene diisocyanate	822-06-0	N	N	Υ	N
Ethyl Benzene	100-41-4	N	N	N	Υ

16. Other information, including date of preparation or last revision.

Revision Date: 12-14-2015

Revision Number: 6

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances