# Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date09-02-2016

Revision Number 5



#### SECTION 1 Identification of the substance/mixture and of the company/undertaking

**1.1 Product identifier** 100409

**Eurosoft Putty** 

1.2 Relevant identified uses of the substance or mixture and uses

advised against

Automotive repair

1.3 Details of the supplier of the

safety data sheet

**ITW Evercoat** 

a division of Illinois Tool Works Inc.

6600 Cornell Road Cincinnati, OH 45242

513-489-7600

1.4 Emergency telephone number

CHEM TEL: +1-813-248-0591

#### **SECTION 2 Hazards identification**

#### 2.1 Classification of the substance or mixture

Classified in F

accordance to (EC) No.

1272/2008

Respiratory Sensitisation Category 1

Skin Sensitisation Category 1

Skin Corrosion/Irritation Category 2

Serious Eye Damage/Eye Irritation Category 2

Flammable Liquid Category 3

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

**Hazard pictograms** 





Signal Word Danger

**Hazard Statements** H226 - Flammable liquid and vapour.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H334 - May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

# Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date09-02-2016

Revision Number 5

Precautionary Statements

P233 - Keep container tightly closed.

P280 - Wear protective gloves/protective clothing/eye protection/face

protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P403+P235 - Store in a well-ventilated place. Keep cool. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P284 - [In case of inadequate ventilation] wear respiratory protection.

Supplemental Hazard information (EU)

EUH208 - Contains Acid anhydride. May produce an allergic reaction.

**2.3 Other hazards** No data available

### **SECTION 3 Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Chemical Name	%	CAS#	(EC) No 1272/2008	M Factor	SCL
Styrene	18.35	100-42-5	Acute Tox. 4; H332	No data	No data
			Acute Tox. 4; H332	available	available
			Acute Tox. 4; H332		
			Eye Irrit. 2; H319		
			Flam. Liq. 3; H226		
			Skin Irrit. 2; H315		
Acid anhydride	1.02	85-43-8	Aquatic Chronic 3; H412	No data	No data
			Eye Dam. 1; H318	available	available
			Resp. Sens. 1; H334		
			Skin Sens. 1; H317		
			EUH208		

For full text of H-statements; See Section 16

#### **SECTION 4 First aid measures**

### 4.1 Description of first aid measures

#### Inhalation

Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately Get medical attention immediately. Keep the victim warm and quiet. If the victim has stopped breathing open airway, loosen collar and belt, and administer artificial respiration. If breathing is difficult, oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice.

## Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date09-02-2016

Revision Number 5

**Eye Contact** Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt

the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes.

Have eyes examined and tested by medical personnel.

**Skin Contact** Wash with soap and water. Get medical attention if irritation develops or persists.

Remove contaminated clothing and continue flushing with water. Seek medical

advice if symptoms persist Wash clothing before reuse.

**Ingestion** Do not induce vomiting and seek medical attention immediately. Drink two glasses

of water or milk to dilute. Provide medical care provider with this MSDS. Do not

induce vomiting unless directed to do so by medical personnel.

Self protection of the first aider

No data available

4.2 Most important symptoms and effects, both acute and delayed

**Symptom** See Section 4.1

4.3 Indication of any immediate medical attention and special treatment needed

**Note to Doctor** No additional first aid information available

### **SECTION 5 Firefighting measures**

5.1 Extinguishing media

**Suitable extinguishing media** Use alcohol resistant foam, carbon dioxide, or dry chemical

extinguishing agents. Water may be ineffective but water spray can be used extinguish a fire if swept across the base of the flames. Water can absorb heat and keep exposed material from

being damaged by fire. Carbon dioxide Dry chemical

Unsuitable extinguishing media No data available

5.2 Special hazards arising from the substance or mixture

Fire and/or Explosion Hazards Vapors may be ignited by sparks, flames or other sources of

ignition if material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source

of ignition and flash back.

Hazardous Combustion Products Carbon dioxide, Carbon monoxide, Hydrocarbons

5.3 Advice for firefighters

Fire Fighting Methods and Protection Do not enter fire area without proper protection including

self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Flammable component(s) of this material may be lighter than water

and burn while floating on the surface.

## Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date09-02-2016

Revision Number 5

#### **SECTION 6 Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

For Non-emergency Personnel

For emergency responders

Non-emergency personnel should be kept clear of the area.

No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment

recommendations found in Section VIII of this MSDS

6.2 Environmental precautions

6.3 Methods and material for containment and cleaning up

No data available

No special spill clean-up considerations. Collect and discard in regular trash. Shut off ignition sources; including electrical equipment and flames. Do not allow smoking in the area. Use an inert absorbent such as sand or vermiculite. Place in properly

labeled closed container.

6.4 Reference to other sections

Refer to section 13 for disposal information.

#### **SECTION 7 Handling and storage**

7.1 Precautions for safe handling

Mildly irritating material. Avoid unnecessary exposure. Do not get in eyes, on skin and clothing Wash hands before eating Use with adequate ventilation Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool dry ventilated location. Isolate from incompatible materials and conditions. Keep container(s) closed. Store in a cool dry place Keep away from heat, sparks, and flame Store in

a tightly closed container

7.3 Specific end use(s)

Automotive repair

#### **SECTION 8 Exposure controls/personal protection**

#### Occupational Exposure limit values

Chemical Name	ACGIH TLV-TWA	ACGIH STEL	IDLH
Styrene	20 ppm	40 ppm STEL; 170 mg/m3 STEL	No data available

#### **8.2 Exposure controls**

Appropriate engineering controls

No exposure limits exist for the constituents of this product. Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.

### Individual protection measures, such as personal protective equipment

Eye and face protection Wear chemically resistant safety glasses with side shields when

handling this product. Do not wear contact lenses. Wear goggles

if dusts can reach the exposure limit.

#### **Skin Protection**

## Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date09-02-2016 **Revision Number** 5

Hand protection No information available

Other skin protection Not normally considered a skin hazard. Where use can result in

> skin contact, practice good personal hygiene and wear a barrier cream and/or impervious surgical style gloves. Wash hands and other exposed areas with mild soap and water before eating,

drinking, and when leaving work.

**Respiratory Protection** Respiratory protection may be required to avoid overexposure

> when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. Respiratory protection may be required in addition to ventilation depending

upon conditions of use.

Thermal hazards No data available

**Environmental exposure controls** No data available

#### **SECTION 9 Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

**Appearance** Paste Colour Green Odour Aromatic

**Odour Threshold** No data available

Neutral На Melting point / Freezing point -30.6

(°C)

Initial boiling point and boiling 145

range (°C)

Flash Point (°C) 37

**Evaporation Rate** No data available Flammability (Solid, gas) No data available

Upper/lower flammability or

explosive limits

**Upper Flammable/Explosive** 6.1

Limit, % in air

Lower Flammable/Explosive

Limit, % in air

1.1

**Vapour Pressure** 5.0 mmHg @ 68 °F / 20 °C (Styrene)

**Vapour Density** Heavier than air. Vapors that evolve from this product will tend to

settle and accumulate near the floor.

**Relative Density** 1.63

Solubility(ies) Minimal; 1-9%

Partition coefficient: n-1.36

#### Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date09-02-2016

Revision Number 5

octanol/water

Autoignition Temperature (°C) 490

Decomposition TemperatureNo data availableViscosity301,750 - 328,375Explosive propertiesNo data availableOxidizing propertiesNo data available

**9.2 Other information** No data available

### **SECTION 10 Stability and reactivity**

**10.1 Reactivity** No data available

**10.2 Chemical stability** Stable under normal conditions.

10.3 Possibility of hazardous

reactions

No data available

**10.4 Conditions to avoid**Contamination

**10.5 Incompatible materials** Peroxides; Strong acids; Strong oxidizing agents; Strong alkalies

10.6 Hazardous decomposition

products

Carbon dioxide Carbon monoxide Hydrocarbons

#### **SECTION 11 Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute Toxicity**

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

<b>^</b> L	Noutral	
DH	I NEULAL	

Classification is based on pH and the components listed in Section 3.

#### Serious eye damage/irritation

рН	Neutral
----	---------

Classification is based on pH and the components listed in Section 3.

#### Respiratory or skin sensitization

EUH208 - Contains Acid anhydride. May produce an allergic reaction.

Classification has been based on toxicological information of the components in Section 3.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

### Reproductive toxicity

# Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date09-02-2016

Revision Number 5

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

# **SECTION 12** Ecological information

**12.1 Toxicity** No data available

**Ecotoxicity Data** 

Chemical Name	CAS Number	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available				

12.2 Persistence and

degradability

No data available

12.3 Bioaccumulative

potential

No data

**12.4 Mobility in soil** No data available

12.5 Results of PBT and

vPvB assessment

No data available

12.6 Other adverse

effects

No data available

12.7 Additional information

No data available

# SECTION 13 Disposal considerations

#### 13.1 Waste treatment methods

**Waste Description for Spent** 

**Product** 

Spent or discarded material is a hazardous waste.

**Disposal Methods** 

Dispose of by incineration following Federal, State, Local, or

Provincial regulations.

Waste Disposal Code(s) (European Waste Catalogue) W080111

### **SECTION 14 Transport information**

#### **Ground:**

# Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date09-02-2016 **Revision Number** 5

14.1 UN number: UN3269

14.2 UN proper shipping name: POLYESTER RESIN KIT

14.3 Transport hazard class(es): 3 14.4 Packing group: Ш

**Exemptions: Limited Quantity** 

Air:

14.1 UN number: UN3269

14.2 UN proper shipping name: POLYESTER RESIN KIT

14.3 Transport hazard class(es): 3 14.4 Packing group: Ш

Water:

14.1 UN number: UN3269

14.2 UN proper shipping name: POLYESTER RESIN KIT

14.3 Transport hazard class(es): 14.4 Packing group: Ш

**Exemptions:** Limited Quantity

14.5 Environmental hazards: No

14.6 Special precautions for user: No data available 14.7 Transport in bulk according No data available

to Annex II of MARPOL and the

**IBC Code:** 

### **SECTION 15 Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Name	<b>EINECS</b>	SVHC
Styrene	Υ	N
Acid anhydride	Υ	N
Xylene	Υ	N
Ethylene Glycol phenyl ether	Υ	N
Ethyl Benzene	Υ	N
Diacetone alcohol	Υ	N
Styrene Oxide	Υ	N
Toluene	Υ	N
Benzene	Υ	N

15.2 Chemical safety assessment No data available

### **SECTION 16 Other information**

**SDS Abbreviations:** No data available References: No data available

#### Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date09-02-2016

Revision Number 5

# Hazard phrase(s) referenced in section 3

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H336 May cause drowsiness or dizziness.
- H340 May cause genetic defects..
- H350 May cause cancer.
- H361 Suspected of damaging fertility or the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H412 Harmful to aquatic life with long lasting effects.

# Precautionary Statements

#### Prevention

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P264 Wash thoroughly after handling.
- P270 Do no eat, drink or smoke when using this product.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P273 Avoid release to the environment.

## Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date09-02-2016

**Revision Number** 5

P280 - Wear protective gloves/protective clothing/eye protection/face

protection.

P284 - Wear respiratory protection.

**Response** P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P304+P341 - IF INHALED: If breathing is difficult, remove victim to fresh air

and keep at rest in a position comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P307+P311 - IF exposed: Call a POISON CENTER or doctor/physician. P308+P313 - IF exposed or concerned: Get medical advice/attention.

P314 - Get medical advice/attention if you feel unwell.

P321 - Specific treatment (see on this label).

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention. P342+P311 - If experiencing respiratory symptoms: Call a POISON

CENTER or doctor/physician.

P363 - Wash contaminated clothing before reuse. P370+P378 - In case of fire: Use for extinction.

**Storage** P233 - Keep container tightly closed.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

**Disposal** P501 - Dispose of contents/container in accordance with

local/regional/national/international regulation for hazardous wastes.

NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances