

Safety Data Sheet Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 06/10/2015 Supersedes: 07/01/2009 Version: 1.0

SECTION 1: Identification of the sul	bstance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	: Wizards Mystic Cut Buffing Compound
Product form	: Mixture
Product Codes	11038, 11048, 11052, 11054
1.2. Relevant identified uses of the sub	stance or mixture and uses advised agains
Nano-sphere technology buffing compound for	paint
1.3. Details of the supplier of the safety	data sheet
RJ Star, Inc. dba Wizards Products 11469 8th St. NE Hanover, MN 55341	
1.4. Emergency telephone number	
Emergency number	: 763-497-5155
SECTION 2: Hazards identification	
2.1. Classification of the substance or I	mixture
GHS-US classification	
Combustible H227 Asp. Tox. 1 H304 Skin Irrit. 2 H315 Eye Irrit. 2A H319	
2.2. Label elements	
GHS-US labelling	
Hazard pictograms (GHS-US)	GHS07 GHS08
Signal word (GHS-US)	Danger
Hazard statements (GHS-US)	: H227 - Combustible liquid H304 - May be fatal if swallowed and enters airways H315 - Causes skin irritation H319 - Causes serious eye irritation
Precautionary statements (GHS-US)	 P210 - Keep away from flames and hot surfaces - no smoking P264 - Wash skin thoroughly after handling P280 - Wear eye protection, face protection, protective clothing, protective gloves P301+P310 - IF SWALLOWED: Immediately call a doctor, a POISON CENTER P302+P352 - If on skin: Wash with plenty of soap and water P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P331 - Do NOT induce vomiting P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P370+P378 - In case of fire: Use water fog, foam, dry chemical or CO2 to extinguish P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents and container in accordance with local regulations
2.3. Other hazards No additional information available	
2.4. Unknown acute toxicity (GHS US) No data available	

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Wizards Mystic Cut Compound Safety Data Sheet Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. Mixture

Name	Product identifier	%
Naphtha, petroleum, hydrotreated heavy	(CAS No) 64742-48-9	10 - 17
Aluminum oxide	(CAS No) 1344-28-1	10 - 20
Ethoxylated alcohol	Proprietary*	0.5 - 1.5
Other ingredients below reportable levels		60 - 80
*In accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200), the specific chemical identity has been withheld as a trade secret		

SECTION 4: First aid measures

4.1. Description of first aid measures		
First-aid measures general	If exposed or concerned, get medical attention/advice. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before re-use. Never give anything to an unconscious person.	
First-aid measures after inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention. If breathing is difficult, supply oxygen. If breathing has stopped, give artificial respiration.	
First-aid measures after skin contact	IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for a least 15 minutes. If irritation develops or persists, get medical attention.	
First-aid measures after eye contact	IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do so. If pain, blinking, or irritation develops or persists, get medical attention. Continue rinsing.	
First-aid measures after ingestion	IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison control center or medical professional. Get medical attention immediately.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/injuries	May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation	
Symptoms/injuries after inhalation	May cause respiratory irritation.	
Symptoms/injuries after skin contact	Causes skin irritation.	
Symptoms/injuries after eye contact	Causes serious eye irritation.	
Symptoms/injuries after ingestion	May be fatal if swallowed and enters airways.	
Chronic symptoms	N/A	

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

SECTION 5: Firefighting measures		
5.1.	Extinguishing media	
Suitable	e extinguishing media	: Foam. Carbon dioxide. Dry powder. Water spray. Sand.
5.2.	Special hazards arising fro	m the substance or mixture
Fire ha	zard	: Product is not flammable.
Explosi	on hazard	: Product is not explosive.
Reactiv	/ity	: No dangerous reactions known under normal conditions of use.
5.3.	Advice for firefighters	
Precau	tionary measures fire	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Firefigh	ting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Do not dispose of fire-fighting water in the environment.
Protect	ion during firefighting	 Do not enter fire area without proper protective equipment, including respiratory protection. Self-contained breathing apparatus.

SECTION 0. Accidental release measures		
6.1. Personal precautions, pre	Personal precautions, protective equipment and emergency procedures	
General measures	: Evacuate area. Ventilate area. Keep upwind. Spill should be handled by trained clean-up crews properly equipped with respiratory equipment and full chemical protective gear (see Section 8).	
6.1.1. For non-emergency perso	onnel	
Protective equipment	: Wear Protective equipment as described in Section 8.	
Emergency procedures	: Evacuate unnecessary personnel.	

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2.	For emergency responders		
Protect	ive equipment	: Wear suitable protective clothing, gloves and eye or face protection. Approved supplied-air respirator, in case of emergency.	
6.2.	Environmental precautions		
Preven	t entry to sewers and public waters. N	lotify authorities if liquid enters sewers or public waters. Avoid release to the environment.	
6.3.	Methods and material for contain	ods and material for containment and cleaning up	
For cor	ntainment	 Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. 	

See Sections 8 and 13.

SECTION 7: Handling and storage		
7.1.	Precautions for safe handling	
Precaut	ions for safe handling	: Handle in accordance with good industrial hygiene and safety procedures. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Avoid breathing vapours, mist. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a dry, cool and well-ventilated place. Keep the container tightly closed.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Naphtha, petroleum, hydrotreated heavy (64742-48-9)	
Remark (ACGIH)	OELs not established
Remark (OSHA)	OELs not established
Aluminum oxide (1344-28-1)	
Aluminum oxide (1344-28-1)	
Aluminum oxide (1344-28-1) Remark (ACGIH)	OELs not established

8.2. Exposure controls

Appropriate engineering controls

: Provide adequate general and local exhaust ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof equipment with flammable materials. Ensure adequate ventilation, especially in confined areas.

Gloves. Protective goggles. Insufficient ventilation: wear respiratory protection.

Personal protective equipment

Hand protection Use gloves chemically resistant to this material when prolonged or repeated contact could occur. Gloves should be classified under Standard EN 374 or ASTM F1296. Suggested glove materials are: Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, PVC or vinyl. Suitable gloves for this specific application can be recommended by the glove supplier Eye protection Wear eye protection, including chemical splash goggles and a face shield when possibility exists for eye contact due to spraying liquid or airborne particles. Skin and body protection Wear long sleeves Respiratory protection Wear a NIOSH-approved (or equivalent) full-facepiece airline respirator in the positive pressure mode with emergency escape provisions. In case of inadequate ventilation or risk of inhalation of vapors, use suitable respiratory equipment with gas filter (type A2). Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection. **SECTION 9: Physical and chemical properties** 9.1. Information on basic physical and chemical properties

Physical state : Liquid Color : Off white

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor	: Pleasant scent
Odor Threshold	: No data available
рН	: 7.5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: 32 F
Boiling point	: >212 F
Flash point	: >190 F ISO 2719 Pensky-Martens Closed Cup
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Negligible in water
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity		
10.1.	Reactivity	
No dang	No dangerous reactions known under normal conditions of use.	
10.2.	Chemical stability	

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Minimally toxic

Naphtha, petroleum, hydrotreated heavy (64742-48-9)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 3160 mg/kg
Aluminum oxide (1344-28-1)	
LD50 oral rat	> 5000 mg/kg
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not expected to cause organ damage from a single exposure.
Specific target organ toxicity (repeated exposure)	: Not expected to cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: May be fatal if swallowed and enters airways.
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: May cause an allergic skin reaction.

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/injuries after eye contact	:	Causes serious eye irritation.
Symptoms/injuries after ingestion	:	May be fatal if swallowed and enters airways.
Chronic symptoms	:	None known.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: No information available.

12.2. Persistence and degradability

Mystic Cut Compound			
Persistence and degradability	No data available.		
12.3. Bioaccumulative potential			
Mystic Cut Compound			
Bioaccumulative potential	No information available.		
12.4. Mobility in soil			
Mystic Cut Compound			
Ecology - soil	No information available.		
12.5. Other adverse effects			
Other adverse effects	: No data available.		
SECTION 13: Disposal considerations			

13.1. Waste treatment methods : Obtain the consent of pollution control authorities before discharging to wastewater treatment plants. Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released into the environment. SECTION 14: Transport information

OLOTION 14. Transport information	
In accordance with DOT	
Not hazardous for transport	
Additional information	
Other information :	No supplementary information available.
Transport by sea	
Not hazardous for transport	
Air transport	
Not hazardous for transport	
SECTION 15: Regulatory information	

15.1. US Federal regulations

Mystic Cut Compound				
All chemical substances in this product are listed in the EPA (Environment Protection Agency) TSCA (Toxic Substances Control Act) Inventory				
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard			
Aluminum oxide (1344-28-1)				
Section 302 (EHS) TPQ				
Section 304 EHS RQ				
CERCLA RQ				
Section 313	Listed on US SARA Section 313			

15.2. International regulations

No additional information available.

15.3. US State regulations

California Proposition 65

This product is not known to contain any chemicals known to the state of California to cause cancer, birth defects, or other reproductive harm.

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aluminum oxide (1344-28-1)

U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Massachusetts - Right To Know List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

SECTION 16: Other informat	ion	
Indication of changes	: Revision 1.0: New SDS Created.	
Revision date	: 06/10/2015	
Other information	: Author: KES.	
NFPA health hazard	: 1 - Can cause significant irritation.	
NFPA fire hazard	: 2 - Must be heated or high ambient temperature to burn.	
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	
HMIS III Rating		
Health	: 1	
Flammability	: 2	
Physical	: 0	
Personal Protection	:	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product